OFFICE OF THE DIRECTOR OF PUBLIC HEALTH IN MYSORE, BANGALORE.

Notification No. C. 1309-2, *dated 6th—7th February* 1939.

Miss K. Janio, Public Health Nurse, Health Training Centre, Closepet, is permitted to change her name to Mrs. K. Joseph.

P. PARTHASARATHY,
Director of Public Health.

I, Thirumalaiya, Assistant Master, Upper Primary Boys' School, Mylanahalli, Nelamangala Taluk, intend changing my name to B. G. Thirumalaiya, as approved by the School Board at their meeting held on 28th June 1938.

THIRUMALAIAH,
Assistant Master, Upper Primary Boys' School, Mylanahalli, Nelamangala Taluk.

Dated 3rd December 1938.
Station :—MYLANAHALLI.

THE BANGALORE WOOLLEN, COTTON AND SILK MILLS, Co., LTD.

Notification dated 9th March 1939.

Notice is hereby given that the Annual General Meeting of the Shareholders of the above Company will be held at the Registered Office of the Company, Agraram Road, Bangalore City, at 9-45 A.M. on Saturday the 25th March 1939.

BY ORDER OF THE DIRECTORS.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 23036-50, *dated 6th March* 1939.

To

The Firms dealing in Rattan.

Enquiry No. 3322.

RATTAN.

GENTLEMEN,

Please be good enough to intimate your best prices, c.i.f., Madras and the earliest time of delivery for the materials described below.

Description of material offered.		*Approximate quantity*
Singapore Rattan with high gloss	Saga washed No. 1 quality well-matured Canes.	8 Tons.
Singapore Rattan	Lunti cuttings No. 1 quality well-matured Canes.	

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

(1) The quantity of material required in each veriety will be intimated at the time of placing the order. The total quantity required will be about 8 tons.
(2) The prices to be quoted should be for free delivery, c.i.f., Madras and should be firm for a period of two weeks from the last date fixed for the submission of tenders.
(3) Samples of the materials offered should be furnished without which quotations will not be considered.
(4) The earliest time within which you would deliver the entire lot, if an order is placed, should be intimated.
(5) Payment of 90 per cent of the value of the consignment will be paid against Bank Drafts drawn at 30 days sight and the balance of 10 per cent made payable on receipt of the consignment at destination and verification of supply as to the quality and weight as per sample submitted.

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Rattan" with the above enquiry number

This enquiry will be closed on the 13th April 1939

— — —

No. S. P. C. 23511-62, *dated 9th March* 1939.

To

The Firms dealing in Telephone Protective Equipment.

Enquiry No. 3329.

TELEPHONE PROTECTIVE EQUIPMENT.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the materials described below :—

(1) 70—Combined Vacuum and Air Gap Arresters, indoor type.
(2) 25—Combined double-pole fuse Switches and Lightning Arresters, Vacuum and Air Gap combined, indoor type.
(3) 25—Telephone Line insulating Transformers of ratio 1 : 1.

The above materials are required for protection of telephone lines and apparatus paralleling high voltage lines of 78 KV. They shall conform to the latest B.S.S. or A.I.E.E. standards.

The tendering firms shall furnish with their quotations full details, both descriptive and illustrative of the material offered by them without which the tenders will not be considered.

As the arresters of items 1 and 2 above are for protection against lightning and to equalise any difference in potential between lines they shall be capable of maintaining their initial characteristics throughout life without any appreciable change.

The insulating transformer of item 3, which is primarily a safety device, shall have high insulation characteristics. Further, it shall have the highest efficiency of transformation of the high frequency speech currents, the magnetising current and losses in the transformer being very small. The tenderers shall furnish the dielectric strength of the insulating transformers.

The prices to be quoted should be for delivery, *c.i.f., Madras.*

This enquiry will close on the 15th *April* 1939.

No. S. P. C. 23736-55, *dated 8th March* 1939.

To

The Firms dealing in Teak Wood.

Enquiry No. 3330.

TEAKWOOD PIECES FOR THE GOVERNMENT ELECTRIC FACTORY.

GENTLEMEN,

Please be good enough to intimate your best prices, *f.o.r., Bangalore,* and the earliest time of delivery for the materials described in the following schedule.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Teak-wood pieces for the Government Electric Factory" with the above enquiry Number.

This enquiry will be closed on the *27th March* 1939.

SCHEDULE.

Teakwood Materials required for the Government Electric Factory.

Well seasoned Rangoon Teakwood free from any defects whatsoever :—

8′×2′×1″	3 pieces	8′×1·½″×1″	3 pieces
8′×21″×1″	12 ,,	8′×1·¼″×1′¼″	3 ,,
8′×18″×1″	12 ,,	8′×1·¼″×1″	3 ,,
8′×18″×⅝″	6 ,,	8′×18″×3·¾″	3 ,,
8′×15″×1″	12 ,,	8′×18″×3·¼″	3 ,,
8′×15″×½″	24 ,,	8′×18″×2·¾″	3 ,,
8′×12″×1·½″	3 ,,		
8′×12″×1″	36 ,,	8′×18″×2·½″	3 ,,

8′×12″×$\frac{5}{8}$″	.. ..	6 pieces	8′×18″×1$\frac{3}{4}$″	.. ..	3 pieces
8′×12″×$\frac{1}{2}$″	.. ..	12 ,,	8′×15″×3$\frac{3}{4}$″	.. ..	3 ,,
8′×9″×1$\frac{1}{2}$″	.. ..	3 ,,	8′×15″×3$\frac{1}{4}$″	.. ..	3 ,,
8′×9″×1″	.. ..	6 ,,	8′×15″×3″	.. ..	3 ,,
8′×9″×$\frac{5}{8}$″	.. ..	6 ,,	8′×15″×2$\frac{3}{4}$″	.. ..	3 ,,
8′×6″×1$\frac{1}{2}$″	.. ..	6 ,,	8′×15″×2$\frac{1}{4}$″	.. ..	3 ,,
8′×6″×1$\frac{1}{4}$″	.. ..	6 ,,	8′×15″×1$\frac{3}{4}$″	.. ..	3 ,,
8′×6″×1″	.. ..	6 ,,	8′×12″×3$\frac{3}{4}$″	.. ..	3 ,,
8′×6″×$\frac{3}{4}$″	.. ..	6 ,,	8′×12″×3$\frac{1}{4}$″	.. ..	3 ,,
8′×6″×$\frac{5}{8}$″	.. ..	12 ,,	8′×12″×3″	.. ..	2 ,,
8′×4″×1$\frac{1}{4}$″	.. ..	12 ,,	8′×12″×2$\frac{3}{4}$″	.. ..	3 ,,
8′×4″×1″	.. ..	18 ,,	8′×12″×2$\frac{1}{2}$″	.. ..	2 ,,
8′×4″×$\frac{3}{4}$″	.. ..	12 ,,	8′×12″×2$\frac{1}{4}$″	.. ..	3 ,,
8′×3″×1$\frac{1}{2}$″	.. ..	18 ,,	8′×12″×2″	.. ..	3 ,,
8′×3″×1$\frac{1}{4}$″	.. ..	18 ,,	8′×12″×1$\frac{3}{4}$″	.. ..	3 ,,
8′×3″×1″	.. ..	24 ,,	8′×9″×3$\frac{3}{4}$″	.. ..	3 ,,
8′×3″×$\frac{3}{4}$″	.. ..	12 ,,	8′×9″×3$\frac{1}{2}$″	.. ..	2 ,,
8′×2″×1$\frac{1}{2}$″	.. ..	6 ,,	8′×9″×3$\frac{1}{4}$″	.. ..	3 ,,
8′×2″×1$\frac{1}{4}$″	.. ..	6 ,,	8′×9″×3″	.. ..	3 ,,
8′×2″×1″	.. ..	63 ,,	8′×9″×2$\frac{3}{4}$″	.. ..	3 ,,
8′×2″×$\frac{3}{4}$″	.. ..	6 ,,	8′×9″×2$\frac{1}{2}$″	.. ..	2 ,,
8′×2″×$\frac{1}{2}$″	.. ..	12 ,,	8′×9″×2$\frac{1}{4}$″	.. ..	3 ,,
8′×4″×3″	.. ..	6 ,,	8′×9″×1$\frac{3}{4}$″	.. ..	3 ,,
8′×4″×2″	.. ..	3 ,,	8′×6″×6″	.. ..	3 ,,
8′×4″×1$\frac{3}{4}$″	.. ..	3 ,,	8′×6″×5$\frac{1}{2}$″	.. ..	3 ,,
8′×3$\frac{1}{2}$″×3″	.. ..	3 ,,	8′×6″×5″	.. ..	3 ,,
8′×3$\frac{1}{2}$″×2$\frac{1}{2}$″	.. ..	3 ,,	8′×6″×4$\frac{1}{2}$″	.. ..	3 ,,
8′×3$\frac{1}{2}$″×2″	.. ..	3 ,,	8′×6″×4″	.. ..	3 ,,
8′×3″×2$\frac{1}{2}$″	.. ..	3 ,,	8′×6″×1$\frac{3}{4}$″	.. ..	3 ,,
8′×3″×2″	.. ..	3 ,,	8′×5″×5″	.. ..	3 ,,
8′×2$\frac{1}{2}$″×2″	.. ..	3 ,,	8′×4″×4″	.. ..	3 ,,
8′×2″×2″	.. ..	12 ,,	8′×4″×3$\frac{1}{2}$″	.. ..	3 ,,
8′×2″×1$\frac{3}{4}$″	.. ..	3 ,,			
8′×1$\frac{1}{2}$″×1$\frac{1}{2}$″	.. ..	3 ,,			
8′×1$\frac{1}{2}$″×1$\frac{1}{4}$″	.. ..	3 ,,			

N.B.—The above quantities represent the approximate requirements for a period of six months and supplies will be required to be made on indents in such quantities as may be required from time to time. The contract will be limited to the quantities actually drawn. The prices quoted should hold good for a period of six months from the date of the order.

No. S. P. C. 23726-35, *dated 8th March* 1939.

To

The Firms dealing in Weighing Steel Yards and Spring Balances.

Enquiry No. 3331.

WEIGHING STEEL YARDS AND SPRING BALANCES.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Weighing Steel Yards and Spring Balances, with the above enquiry Number.

This enquiry will be closed on the 20th March 1939.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
1	Weighing Steel Yards of Capacity 100 lbs.	Two	Bangalore	
2	Salters Spring Balance of 200 lbs. capacity	20	F.O.R., Bangalore, Shimoga, Mandya, Tumkur, Chitaldrug, Chikmagalur, Mysore.	

N.B.—Descriptive Literature about Weighing Steel Yards offered should accompany your quctation.

No. S. P. C. 23701-15, *dated 8th March* 1939.

To

The Firms dealing in Petrol Driven Motor Lorries.

Enquiry No. 3333.

PETROL DRIVEN MOTOR LORRY.

GENTLEMEN,

Please be good enough to intimate your best prices, F. O. R., Bangalore and the earliest time of delivery for the materials described below :—

One—Petrol-driven Motor Lorry, carrying capacity 3-tons net pay load, complete with engine, chassis, usual accessories, spare tyre, tube and rim, with driver's cab and body complete, conforming to the following specification :—

The engine of the lorry shall be of 6-cylinder type with all accessories completely enclosed in dust-proof housing. The Water pump and water circulating pipe shall be so designed that in the event of failure of the pump, the cooling of the engine shall be effected on Therom-syphon principle. The engine shall have forced lubrication and an indicator shall be fitted on the dash-board for showing the oil circulation within the engine.

Delco-system of ignition shall be adopted for the ignition of the fuel. The gear box shall be fitted with four speeds forward and one speed reverse. The clutch shall be of dry type with renewable and adjustable face rings. The lorry shall have a gasoline tank of sufficient capacity to contain enough fuel for a journey of atleast 100 miles.

The lorry shall be fitted with wind shield, side curtains for the driver's cab, two head lights, one rear lamp and two side lights and an electric vibrator, horn and a bulb horn. The lorry shall be fitted with pneumatic tyres of suitable size and strength, efficient brakes of the hydraulic type being provided for all the four wheels.

Lorry Body.—The lorry shall be fitted with open type lorry body with driver's cab made out of best teakwood as per the following specifications:—

The driver's cab to be fitted with cushioned seat and back rest upholstered in black rexine. Side curtains to be fitted on either side of the driver's seat. Windscreen to front with wiper arm and fixed window in rear of cab shall be fitted.

Body to be built of 1" timber with 2½ ft. high sides and tail board drop and removable. The sides also to be of the collapsible type. The floor should be lined with 1½" tinker suitably reinforced with M. S. flats. Sufficient number of holes to be drilled in the floor along each side of the body, these holes being not less than 1" in diameter, and plates being fixed top and bottom. Angle iron brackets with holes drilled shall be fixed to the iron frame of the chassis at the sides so that the iron stanchions may pass through the wooden floor and the angle iron bracket to firmly support the sides.

Complete specifications, wheel base, track with minimum clearnace, drawings, Maker's name, should be furnished ; average petrol and oil consumption on mileage basis to be specified ; complete list of accessories, tools and spare parts that will be supplied with the lorry to be mentioned.

Guarantee of one year of satisfactory service will be required, with the usual free service and free replacement of defective parts.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and pruchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Petrol Driven Motor Lorry" with the above enquiry Number.

This enquiry will be closed on the 27th March 1939.

No. S. P. C. 23687-700, *dated 8th March* 1939.

To

The Firms dealing in Beltings.

Enquiry No. 3334.

BELTINGS REQUIRED FOR THE RAILWAY DEPARTMENT.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery, f.o.r., Mysore South, based on R.M.C. rates and the earliest time of delivery for the materials described below and subject to the conditions detailed therein.

"Teon" Belting or any other equally good quality of belting in the following sizes:—

(1) 1″×3 ply (hemp sewn)	..	..	..	..	200	R.ft.
(2) 1½″×3 or 4 ply (copper wire stitched)	.	..	..	200	,,
(3) 2″×4 ply	do	do	..	..	.	500	,,
(4) 2½″×4 ply	do	do	..	..	..	500	,,
(5) 3″×4 ply	do	do	..	..	..	3,000	,,
(6) 4″×4 ply	do	do	..	..	.	150	,,
(7) 5″×6 ply	do	do	..	..	..	50	,,
(8) 6″×6 ply	do	do	..	..	..	50	,,

N.B.—(1) The quantities given above are not guaranteed. The contract will be deemed to be limited to the actual quantities drawn in each size which will be done only as and when required by the Department.

(2) Samples of the beltings tendered for should be submitted to the undersigned *in two sets* free of cost. Quotations without samples will not be considered.

(3) Quotations should specify rates per unit which should hold good for a period of one year from the date the contract is fixed.

(4) The make of beltings quoted for should be clearly specified in the quotation.

(5) The prices to be quoted should be for delivery, f.o.r., Mysore South, based on R.M.C. rates.

It should be distinctly understood that the acceptance by us of your quotations will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made from other sources at your expense, in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Beltings for the Railway Department" with the above enquiry Number.

This enquiry will be closed on the 30*th March* 1939.

Yours faithfully,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

No. S. P. C. 23769, *dated 7th March* 1939.

NOTICE.

Enquiry No. 3316.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of One Storage Battery and Two Battery Charging D. C. Generator Sets up to 29th April 1939.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 5 which is the price fixed for a set of forms and which is not refundable.

Cheques, postage stamps or crossed Postal Orders will not be accepted towards the cost of forms, nor will the forms be sent by V. P. P.

No. S. P. C. 23815, *dated 1st March* 1939.

NOTICE.

Enquiry No. 3324.

Sealed tenders will be received up to the 30th March 1939 by the Secretary, Stores Purchase Committee, for the supply of Girders required for the Sagara-Talaguppe Railway Construction, during the year 1938-39.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the necessary particulars of our requirements.

By Order,
T. RANGASWAMI,
Secretary,
Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 11th February 1939.

Indent & Enquiry No.	Description of materials	Quantity	Name of the Firm	Value of the order
Local.			Messrs :—	Rs. a. p.
4797	Ledger binders—loose leaf ..	37	Karnataka Publishing House, Bangalore City.	14 0 0 per set free delivery in Bangalore.
3227 4798	Tyres—Heavy duty size 6.50×20	4	The Raja Cycle & Motor Works, Bangalore City.	49 14 0 each f. o. r., Tumkur.
4799	Rubber hose ⅝″ 3 ply of special herringbone braided cotton.	600 Ft.	Darah, Smail & Co., Ltd., Travancore.	0 3 9 a ft. less 5 per cent f.o.r., Chickmagalore Out Agency
3160	Rubber hose Continental German make—⅝″ 4-ply withstanding a working pressure of 500 lbs. and a bursting pressure of 1,500 lbs.	2,500 Ft.	The Raja Cycle & Motor Works, Bangalore City.	0 4 2 per ft. f.o.r., Arasalu, Shimoga, Narasimharajapura or Sagar Railway Station.
4801	Padlocks—Godrej brass of 3″, 8 levers with separate non-interchangeable keys in duplicate.	14	Godrej & Boyce Mfg. Co., Ltd., Bombay.	105 0 0 lot f.o.r., Shimoga.
3270 4803	Pump—"Mather and Platt" two stage, Medivane, 4″×3″ of capacity of 157 gallons per minute against 155′.	One		935 0 0 F.O.R., Mysore.
3105	Motor-Crompton Parkinson, Drip Proof, 15 H.P. 1,440 r.p.m.	One	M. Ramiah, Bangalore City	295 0 0 F.O.R., Mysore.
	Auto-transformer starter Crompton Parkinson Oil impressed.	One		330 0 0 Do do
	Accessories	Lot		146 12 0 Do do
	Spare Parts	Lot		162 8 0 Do do
4804	Lamp—Zeiss shadowless operation "Pantophos" with tubular suspension with 32″ metal mirror, extensible one piece telescopic suspension.	One	Adair Dutt & Co., Ltd., Madras.	900 0 0 Do do
3195 4804	Hot water stand Sterile, with nickel-plated reservoir of about 18 pints capacity.	One		160 0 0 Do do
Extn.	Operation table, white enamelled, folding army model.	One	N. Powell & Co., Bombay ..	110 0 0 Do do
	Water Sterilizers (5 gallons capacity) electrically heated, with automatic cut-off device flex and plug 220 volts.	Two		350 0 0 each F.O.R., Mysore.
4805	Electric Motor A.E.G. special squirrel cage induction type,	Two	The Modern Electric House, Bangalore.	82 4 0 each F. O. R., Bangalore.
3253	drip proof with heavy ball bearings and cast rotor suitable to run on A.C. 3 phase 25 cycles 220 volts for an out-put of 2 h. p. at 1,425 r. p. m.			
4806	P. S. Tank—Jessops "Phoneix". 8′×8′×4′—capacity 1,600 gallons all plates ¼″ thick, etc.	One		439 0 0 f.o.r., Chikballapur.
3193	M. S. Staging 25′ high complete with ladder.	One	Garlick & Co., Bombay ..	400 0 0 Do do
4524	Paper—White Printing D–F–Cap 16 lbs.	750 Reams	The Mysore Paper Mills, Ltd., Bangalore.	0 3 4½ lb. f.o.r., Mysore.
Extn.				